

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L37	8	L35 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:17
L36	3	L35 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:17
L35	302	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:17
L34	5	L32 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16
L33	0	L32 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16
L32	1051	(comparison with catorization withr inverse \$10)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16
L31	4	L29 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16
L30	0	L29 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16
L29	629	(comparison with catorization withr inverse \$10)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:16

L28	155	L25 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:10
L27	56	L25 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:10
L26	56	L25 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L25	31872	(comparison near3 method\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L24	11	L22 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L23	4	L22 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L22	1914	(comparison with catorization withr inverse \$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L21	11	L18 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L20	11	L18 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:09
L19	4	L18 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:08
L18	1914	(comparison with catorization or inverse\$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:08

L17	8	L15 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:08
L16	3	L15 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:08
L15	302	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:08
L14	1	L12 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L13	1	L12 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L12	13	((target near5 definition\$1) with concept\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L11	1	L9 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L10	1	L9 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L9	35	(document near3 (extraction \$1 or extract\$3)) and ((target near5 definition\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:07
L6	14	L4 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:05
L5	7	L4 and 707/2.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:05

L4	25	L1 and @ad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:05
L3	8	L1 and 707/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:05
L2	26	L1 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:04
L1	52	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:04
S78	12040086	S75 and concept\$1 or list\$1 or set\$1 or operation\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S77	14	S75 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S76	7	S75 and 707/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S75	25	S72 and @ad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S74	8	S72 and 707/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S73	26	S72 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03
S72	52	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 10:03

S68	0	10/741303	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/07 09:27
S67	2	S66 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S66	613	(comparison with (catorization or inverse\$10)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S64	301	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S63	3	S62 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S62	12	S61 and @prad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S61	50	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S60	2	S59 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S59	613	(comparison with (catorization withr inverse \$10)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:04
S58	1	S57 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S57	1909	(comparison with (catorization or inverse\$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03

S56	0	S55 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S55	301	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S54	7623	S53 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S53	11809162	S52 and concept\$1 or list\$1 or set\$1 or operation\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S52	25	S51 and @ad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S51	50	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/11 12:03
S50	2	"20040193591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:13
S1	1688656	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:13
S49	1	S48 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 14:33
S48	565	(comparison with (catorization or inverse\$10)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 14:33
S47	0	S46 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 14:32

S46	301	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 14:32
S45	2	"20030115191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 14:32
S44	0	((words or concepts) with (relationship\$1 near5 strength \$3) with frequency) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:08
S43	2	((words or concepts) with (relationship\$1 near5 strength \$3) with frequency) and @riad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S42	0	((words or concepts) with (relationship\$1 with strength \$3) with frequency) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S41	5	((words or concepts) with (relationship\$1 with strength \$3) with frequency) and @riad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S40	1078	(comparison with (catorization or inverse\$10)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S20	2	((words or concepts) with (relationship\$1 with strength \$3) with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S19	0	((words or concepts) with (relationship\$1 near5 strength \$3) with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:43
S39	565	(comparison with (catorization or inverse\$10)) and @riad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S38	1078	(comparison with (catorization withr inverse \$10)) and @prad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42

S37	565	(comparison with (catorization withr inverse \$10)) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S36	13538	(comparison near3 method\$1) and @rlad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S29	29736	(comparison near3 method\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S27	1817	(comparison with (catorization withr inverse \$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S26	1817	(comparison with (catorization or inverse\$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:42
S35	11	S33 and @prad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:41
S34	21	S33 and @rlad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:41
S33	36	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:41
S3	20	S2 and @ad<"20020601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:41
S32	5	"471303".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 10:39
S31	2	(gist with categoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00

S30	0	S29 and (gist with categoriz \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 13:00
S28	0	(comparison with catorization with inverse \$10)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:57
S25	1	"20020174101" and vector and gist\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:56
S23	1	"20020174101" and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:18
S24	0	"20020174101" and (vector with gist\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:17
S22	1	"20020174101" and gist\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:17
S21	2	"5724571".pn. and rank\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:16
S16	291	((words or concepts) with relationship\$1 with frequency) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 11:43
S18	4	S16 and strength\$3 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 11:41
S17	15	S16 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 11:40
S15	11	((target near5 definition\$1) with concept\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 11:25

S10	0	(document near3 (extraction \$1 or extract\$3)) and ((target near5 definition\$1) with concept\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 10:28
S14	3	S11 and (concept\$1 near5 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 10:27
S11	29	(document near3 (extraction \$1 or extract\$3)) and ((target near5 definition\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 10:27
S13	3	"20030223637" and (definition\$1 or defined or defining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 10:10
S12	2	"20030223637" and definition \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 10:10
S9	2	"20020174101" and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:44
S8	2	S5 and (concept\$1 or list\$1 or set\$1 or operation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:44
S5	2	query same ((concept\$1 with (list\$1 with set\$1)) same (set near3 operation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:18
S4	0	query same ((concept\$1 with (list\$1 with set\$1)) with (set near3 operation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:11
S2	26	query same (concept\$1 with (list\$1 with set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:10

10/7/2009 10:17:36 AM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-741-303__2.wsp